

## After the described error:

Exceptions

Type: OpcLabs.BaseLib.Browsing.BrowseException

Data:

HelpLink:

HResult: -2146233088 (0x80131500)

InnerException:

OpcLabs.EasyOpc.UA.OperationModel.UAException: An OPC-UA operation failure with error code - 1 (0xFFFFFFFF) occurred, originating from 'Opc.Ua.Core'. The inner exception, of type 'System.Net.Sockets.SocketException', contains details about the problem. --->

System.Net.Sockets.SocketException: Der angeforderte Name ist gültig, es wurden jedoch keine Daten des angeforderten Typs gefunden

bei Opc.Ua.Bindings.TcpClientChannel.BeginConnect(Uri url, Int32 timeout, AsyncCallback callback, Object state)

bei Opc.Ua.Bindings.TcpClientChannel.BeginSendRequest(IServiceRequest request, Int32 timeout, AsyncCallback callback, Object state)

bei Opc.Ua.Bindings.TcpTransportChannel.BeginSendRequest(IServiceRequest request, AsyncCallback callback, Object callbackData)

bei Opc.Ua.Bindings.TcpTransportChannel.SendRequest(IServiceRequest request)

bei Opc.Ua.DiscoveryClient.FindServers(RequestHeader requestHeader, String endpointUrl, StringCollection localeIds, StringCollection serverUris, ApplicationDescriptionCollection& servers)

bei Opc.Ua.DiscoveryClient.FindServers(StringCollection serverUris)

bei

OpcLabs.EasyOpc.UA.Toolkit.ToolkitDiscoveryClient.OpcLabs.EasyOpc.UA.Toolkit.ISdkDiscoveryClient.FindServers(StringCollection serverUris)

bei

OpcLabs.EasyOpc.UA.Toolkit.UADiscoverySession.<>c\_\_DisplayClass29\_1.<FindServers>b\_\_0()

bei OpcLabs.EasyOpc.UA.Toolkit.UAEngineBase.PerformSdkAction(UASdkCallType callType, Func`1 usingFunction, String name, Action sdkAction)

--- Ende der internen Ausnahmestapelüberwachung ---

bei

OpCLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.LocalDiscoverApplications(UALocalDiscoveryQuery localDiscoveryQuery)

bei

OpCLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.InternalDiscoverApplications(UADiscoveryQuery discoveryQuery)

bei

OpCLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.<>c\_\_DisplayClass24\_0.<DiscoverApplications>b\_\_0()

bei

OpCLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.DisposeGuard[TResult](Func`1 func)

bei

OpCLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.DisposeGuardNotNull[TResult](Func`1 func)

bei

OpCLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

bei

OpCLabs.EasyOpc.UA.Internal.ForwardingEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

bei

OpCLabs.EasyOpc.UA.Internal.ForwardingEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

bei OpCLabs.EasyOpc.UA.Internal.LicensingEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

bei OpCLabs.EasyOpc.UA.EasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

bei OpCLabs.EasyOpc.UA.IEasyUAClientExtension.DiscoverApplications(IEasyUAClient client, String discoveryHost, UAApplicationTypes applicationTypes)

bei OpCLabs.EasyOpc.UA.IEasyUAClientExtension.DiscoverServers(IEasyUAClient client, String discoveryHost)

bei OpCLabs.EasyOpc.UA.Browsing.UAEndpointBrowseable.BrowseNodes(Object parentNode, IEnumerable`1& nodes, IEnumerable`1& exceptions)

Data:

ErrorCode: -1

HelpLink:

HResult: -2146233088 (0x80131500)

InnerException:

System.Net.Sockets.SocketException (0x80004005): Der angeforderte Name ist gültig, es wurden jedoch keine Daten des angeforderten Typs gefunden

bei Opc.Ua.Bindings.TcpClientChannel.BeginConnect(Uri url, Int32 timeout, AsyncCallback callback, Object state)

bei Opc.Ua.Bindings.TcpClientChannel.BeginSendRequest(IServiceRequest request, Int32 timeout, AsyncCallback callback, Object state)

bei Opc.Ua.Bindings.TcpTransportChannel.BeginSendRequest(IServiceRequest request, AsyncCallback callback, Object callbackData)

bei Opc.Ua.Bindings.TcpTransportChannel.SendRequest(IServiceRequest request)

bei Opc.Ua.DiscoveryClient.FindServers(RequestHeader requestHeader, String endpointUrl, StringCollection localeIds, StringCollection serverUris, ApplicationDescriptionCollection& servers)

bei Opc.Ua.DiscoveryClient.FindServers(StringCollection serverUris)

bei

OpcLabs.EasyOpc.UA.Toolkit.ToolkitDiscoveryClient.OpcLabs.EasyOpc.UA.Toolkit.ISdkDiscoveryClient.FindServers(StringCollection serverUris)

bei

OpcLabs.EasyOpc.UA.Toolkit.UADiscoverySession.<>c\_\_DisplayClass29\_1.<FindServers>b\_\_0()

bei OpcLabs.EasyOpc.UA.Toolkit.UAEngineBase.PerformSdkAction(UASdkCallType callType, Func`1 usingFunction, String name, Action sdkAction)

Data:

ErrorCode: 11004

HelpLink:

HResult: -2147467259 (0x80004005)

InnerException:

Message: Der angeforderte Name ist gültig, es wurden jedoch keine Daten des angeforderten Typs gefunden

NativeErrorCode: 11004

SocketErrorCode: NoData

Source: Opc.Ua.Core

StackTrace:

bei Opc.Ua.Bindings.TcpClientChannel.BeginConnect(Uri url, Int32 timeout, AsyncCallback callback, Object state)

bei Opc.Ua.Bindings.TcpClientChannel.BeginSendRequest(IServiceRequest request, Int32 timeout, AsyncCallback callback, Object state)

bei Opc.Ua.Bindings.TcpTransportChannel.BeginSendRequest(IServiceRequest request, AsyncCallback callback, Object callbackData)

bei Opc.Ua.Bindings.TcpTransportChannel.SendRequest(IServiceRequest request)

bei Opc.Ua.DiscoveryClient.FindServers(RequestHeader requestHeader, String endpointUrl, StringCollection localeIds, StringCollection serverUris, ApplicationDescriptionCollection& servers)

bei Opc.Ua.DiscoveryClient.FindServers(StringCollection serverUris)

bei

OpcLabs.EasyOpc.UA.Toolkit.ToolkitDiscoveryClient.OpcLabs.EasyOpc.UA.Toolkit.ISdkDiscoveryClient.FindServers(StringCollection serverUris)

bei

OpcLabs.EasyOpc.UA.Toolkit.UADiscoverySession.<>c\_\_DisplayClass29\_1.<FindServers>b\_\_0()

bei OpcLabs.EasyOpc.UA.Toolkit.UAEngineBase.PerformSdkAction(UASdkCallType callType, Func`1 usingFunction, String name, Action sdkAction)

TargetSite: System.IAsyncResult BeginConnect(System.Uri, Int32, System.AsyncCallback, System.Object)

DeclaringType: Opc.Ua.Bindings.TcpClientChannel

Module: Opc.Ua.Core.dll

Assembly: Opc.Ua.Core, Version=1.3.340.0, Culture=neutral, PublicKeyToken=6faddca41dacb409

CustomAttributes:

FullyQualifiedName: <Unbekannt>

MDStreamVersion: 131072

MetadataToken: 1

ModuleHandle: System.ModuleHandle

MDStreamVersion: 131072

ModuleVersionId: 6bc4a55e-b10c-4d96-b839-e2e678dce03c

Name: <Unbekannt>

ScopeName: Opc.Ua.Core.dll

Message: An OPC-UA operation failure with error code -1 (0xFFFFFFFF) occurred, originating from 'Opc.Ua.Core'. The inner exception, of type 'System.Net.Sockets.SocketException', contains details about the problem.

Source: OpcLabs.EasyOpcUA

StackTrace:

```
    bei
OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.LocalDiscoverApplications(UALocalDiscoveryQuery localDiscoveryQuery)

    bei
OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.InternalDiscoverApplications(UADiscoveryQuery discoveryQuery)

    bei
OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.<>c__DisplayClass24_0.<DiscoverApplications>b__0()

    bei
OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.DisposeGuard[TResult](Func`1 func)

    bei
OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.DisposeGuardNotNull[TResult](Func`1 func)

    bei
OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

    bei
OpcLabs.EasyOpc.UA.Internal.ForwardingEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

    bei
OpcLabs.EasyOpc.UA.Internal.ForwardingEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

    bei
OpcLabs.EasyOpc.UA.Internal.LicensingEasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

    bei OpcLabs.EasyOpc.UA.EasyUAClient.DiscoverApplications(UADiscoveryQuery discoveryQuery)

    bei OpcLabs.EasyOpc.UA.IEasyUAClientExtension.DiscoverApplications(IEasyUAClient client, String discoveryHost, UAApplicationTypes applicationTypes)
```

bei OpcLabs.EasyOpc.UA.IEasyUAClientExtension.DiscoverServers(IEasyUAClient client, String discoveryHost)

bei OpcLabs.EasyOpc.UA.Browsing.UAEndpointBrowseable.BrowseNodes(Object parentNode, IEnumerable`1& nodes, IEnumerable`1& exceptions)

TargetSite: OpcLabs.EasyOpc.UA.Discovery.UAApplicationElementCollection  
LocalDiscoverApplications(OpcLabs.EasyOpc.UA.Discovery.UALocalDiscoveryQuery)

DeclaringType: OpcLabs.EasyOpc.UA.Implementations.NetSdk.NetSdkEasyUAClient

Module: OpcLabs.EasyOpcUA.dll

Assembly: OpcLabs.EasyOpcUA, Version=5.41.524.1, Culture=neutral,  
PublicKeyToken=6faddca41dacb409

CustomAttributes:

FullyQualifiedName: C:\Program Files (x86)\OPC Labs QuickOPC  
2016.2\Assemblies\net452\OpcLabs.EasyOpcUA.dll

MDStreamVersion: 131072

MetadataToken: 1

ModuleHandle: System.ModuleHandle

MDStreamVersion: 131072

ModuleVersionId: 581fa2eb-99a0-433d-a2f0-4eb0952d27f8

Name: OpcLabs.EasyOpcUA.dll

ScopeName: OpcLabs.EasyOpcUA.dll

Message: Problem discovering OPC-UA applications.

Source:

StackTrace:

TargetSite:

## After Network Browsing:

Exceptions

Type: OpcLabs.BaseLib.Network.Management.NetworkManagementException

Data:

HelpLink:

HResult: -2146233088 (0x80131500)

InnerException:

Message: Die Liste der Server in dieser Arbeitsgruppe ist zurzeit nicht verfügbar

Source: OpcLabs.BaseLib

StackTrace:

bei OpcLabs.BaseLib.Network.Management.NetworkEnum.GetServerInfos(UInt32 serverType, String domainName)

bei  
OpcLabs.BaseLib.Network.Management.NetworkManagementClient.ServerEnum(ServerTypes serverTypes, String domain)

bei  
OpcLabs.BaseLib.Network.Management.INetworkManagementClientExtension.DomainEnum(INetworkManagementClient client)

bei OpcLabs.BaseLib.Browsing.ComputerBrowseable.BrowseBranches(Object parentNode, Object nodeFilter, IEnumerable`1& branches, IEnumerable`1& exceptions)

TargetSite: System.Collections.Generic.IEnumerable`1[OpcLabs.BaseLib.Network.ServerInfo]  
GetServerInfos(UInt32, System.String)

DeclaringType: OpcLabs.BaseLib.Network.Management.NetworkEnum

Module: OpcLabs.BaseLib.dll

Assembly: OpcLabs.BaseLib, Version=5.41.524.1, Culture=neutral,  
PublicKeyToken=6faddca41dacb409

CustomAttributes:

[System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Design", "CA1020:AvoidNamespacesWithFewTypes", Scope = "namespace", Target = "OpcLabs.BaseLib.Diagnostics")]

[System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Design", "CA1020:AvoidNamespacesWithFewTypes", Scope = "namespace", Target = "OpcLabs.BaseLib.Extensions")]

[System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Design", "CA1020:AvoidNamespacesWithFewTypes", Scope = "namespace", Target = "OpcLabs.BaseLib.Utilities")]

FullyQualifiedName: C:\Program Files (x86)\OPC Labs QuickOPC  
2016.2\Assemblies\net452\OpcLabs.BaseLib.dll

MDStreamVersion: 131072

MetadataToken: 1

ModuleHandle: System.ModuleHandle

MDStreamVersion: 131072

ModuleVersionId: 4af043df-b5ed-476c-99a6-40c3cbe41203

Name: OpcLabs.BaseLib.dll

ScopeName: OpcLabs.BaseLib.dll